


- KEY :-**
- — — — 2005 Remediation determination boundary (Included identified receptors)
  - — — — Investigation limit of identified hydrocarbon contamination (Approx)
  - ▨ ▨ ▨ ▨ Remediation areas: Vapour & Groundwater contamination removal by High Vacuum Extraction.
  - ▨ ▨ ▨ ▨ Remediation area: (Garage site - to commercial end use standard) Removal of fuel tanks, hydrocarbon impacted soils & groundwater.
  - ▨ ▨ ▨ ▨ Remediation area: (No 6) Removal of hydrocarbon impacted soils & installation of hydrocarbon vapour resistant membrane.
  - — — — Identified Receptors (Derwent Terrace properties) where Remediation has now addressed original risk of SPOSH.



DO NOT SCALE FROM DRAWING

Rev	Date	Amendments	Prepared	Checked	Approved
---	---/---/---	---	---	---	---

**Gateshead Council**  
 Civic Centre  
 Regent Street  
 Gateshead, NE8 1HH  
 Tel. 0191 4333000  
 www.gateshead.gov.uk

Trevor Waggett B.Eng (Hons), MCIHT, MIHE  
 Engineering Manager  
 Development, Transport and Public Protection

Title:  
**Dewhurst Terrace**

DRAWING TITLE:-  
**Contaminated Land Register Plan  
 Extent of 2005 Determination Area  
 and subsequent Remediation works**

PREPARED BY:- M HARDWICK	DATE:- July 2017
CHECKED BY:- C STREET	SCALES:- 1:500
APPROVED BY:- C STREET	DRAWING NO.- PL/10/408/CLR.2
	REV --

cm

A3